



## Choosing and designing a care plan

*Figure 1*



	Unable to E self	Maintain good coat/skin condition and avoid frustration /depression caused by b/collar	Remove b/collar at least 6 x daily when fed and whenever possible to spend time with Ludo and he can be supervised not to chew cysto tubing/IVFT tubing. Allow additional time after feeding for him to groom himself. Also groom with brush/comb avoiding hind end where painful	Remove b/collar for feeding. and allow extra time for grooming self. Evaluate daily	W/experience students spent additional time to meal times with Ludo fussing and grooming him. Ludo is used to his b/collar, but enjoys having time without it when he grooms his whole body. Purr+++
	Unable to	Limited movement to allow for #sites to heal and avoid pain.	Strict cage rest. Ensure Ludo's bedding is clean and very soft. Only very gentle movements to avoid him trying to move himself which is painful. Examinations to be carried out in kennel when possible and at least 2 people to lift/move him and uid bags to ensure fully supported	Check for visible swelling/ inflammation at femoral and pelvic fracture sites  Vet to examine Ludo including assessment of #sites	No sign of in ammation at #sites. Vet exam of #s included gentle palpation — concern if pin too long and causing pain. Plan to GA radiograph #femur and pelvis (enema at same time)

## Analysis of implementing a care plan

Length of time taken to complete paper work

Appropriate terminology



Increased recognition of patient needs

